KIELDER WATERSIDE

Access statement - Tipi

Location approx. 115m from the Visitor Centre above the car park.

A direct approach at approx. 1 in 20 and 1200mm wide leads to steps down the tipis.

An alternative step free route approx. 165m long is available from the Visitor Centre this requires use of the roadway and negotiation of a speed bump.

The access from the road up to the tipi is paved, 1500mm wide and graded at 1 in 10.

Parking for blue badge holders can be arranged adjacent the step free access on request.

The rise of each step is 160mm goings exceed 300mm width is 1200mm.

Routes to the tipi are paved.

Twin leaf doors give 740mm clear opening width through one leaf the threshold is raised approx. 30mm.

Internally there are angled tent posts.

Toilets are portable/temporary and provided as requested to meet hirers/events need. These are located on a loose gravel surface accessed through a flap in the side of the tipi.

There is an approx. 70mm step down to the gravel surface.

Accessible toilets are available at the Visitor Centre.

External covered seating is provided on a loose gravel surface.



KIELDER WATERSIDE



1. Approach route 1200mm wide, gradient approx. 1 in 20. Steps down at the end.



2. Steps down to tipi.



3. Parking space for disabled visitors by prior arrangement.



4. Graded route step free route to tipi.



5. Steps.



6. Paved route to the tipi entrance.



KIELDER WATERSIDE



7. Loose gravel to covered seating area.



9 Entrance door raised threshold.



11. Tipi interior.



8. Entrance to tipi



10 Tipi interior.



12. Location for temporary toilets outside the tipi accessed through a flap in the side of Tipi.

